ELLIOTT

Volume 2: PROGRAMMING INFORMATION
Part 1: PROGRAMMING LANGUAGES
Section 3: FORTRAN

Contents

1. 3 The Language						Page
1. 2 Method of Operation	Chapter	1:	SYST	EM SPEC	IFICATION	
1. 2 Method of Operation			1.1	Minimum	Configuration	1
1. 3 The Language			1.2			
1. 4 Form of Distribution						
1. 5 The 900 FORTRAN Representation			730			
1. 5. 1 The Characters Erase, Runout and Halt					10.00 (
Halt						
1. 5. 2 Punching Instructions						1
1. 5. 3 Names Starting with Q				1.5.2		
1. 5. 4 Program Writing						
1. 5. 5 The Program Title						
1.5.6 Example						
1.5.7 Correction of FORTRAN Programs 6 Chapter 2: LANGUAGE SPECIFICATION 2.1 Constants						
2.1 Constants					1.00	6
2.1.1 Integer or Fixed Point Constants 7 2.1.2 Real or Floating Point Constant 7 2.1.3 Examples	Chapter	2:	LAN	GUAGE SP	ECIFICATION	
2.1.2 Real or Floating Point Constant 7 2.1.3 Examples 8			2.1	Constants	3	7
2.1.3 Examples 8		. %		2.1.1	Integer or Fixed Point Constants	7
. ಕಾರ್ಯದ ಬಿಂಬಗಳು A ಮಾರ್ವದ ಕರ್ನಿಗಳು ಕರ್ಮದ ಕರ್ಮ				2.1.2	Real or Floating Point Constant	7
*				2.1.3	Examples	8
7.7 Manies of Identifiets			2.2	Names of		8

					Page
		2.3	2. 3. 1 2. 3. 2	Integer or Fixed Point Variables Real or Floating Point Variables or Subscripted Variables Subscripts	8 8 9 9
			2.4.2	Subscripted Variables	9
			2.4.3	Storage of Arrays	10
			2.4.4	Examples	10
		2.5		ons	10
			2.5.1	Order of Evaluation of Terms	11
			2.5.2	The Types of Results	12
			2.5.3	Exponentiation	12
			2.5.4	Division	13
Chapter	3:	STA	TEMENTS		
		3. 1	Statemen	ts	14
		3. 2	Arithmet	ic Assignment Statements	14
		3. 3	Control S	Statements	15
			3. 3. 1	Statement Numbers or Labels	15
			3. 3. 2	GOTO including IF	15
			3. 3. 2. 1	Unconditional GOTO	15
		9	3. 3. 2. 2	Computed GOTO	16
			3. 3. 2. 3	IF	16
			3. 3. 3	CONTINUE	17
			3. 3. 4 3. 3. 4. 1	An Example of Correctly Nested DO	17
			3, 3, 1, 2	Loops	19
			3. 3. 5	PAUSE	19
			3. 3. 6	STOP	19
			3. 3. 7	END	19
			3. 3. 8	RETURN	20
Chapter	4:	SPE	CIFICATIO	N STATEMENTS	
-		4. 1	DIMENSI	ON	21
		4.2			22
		4. 3	EQUIVAL	ENCE Statements	22
		4.4	Ordering	of Specifications	23
		4.5	Inconsiste 4.5.1	ent Specifications	23 23
		4.6	MEAN W E 1000		23
		4.7		** ** ** ** ** ** ** ** ** ** ** ** **	2.4

					Page
Chapter	5:	FUN	CTIONS AI	ND SUBROUTINES	
		5.1		Functions	. 25
		5.2		ON AND SUBROUTINE Sub-programs	
			5.2.1	Sub-Program Titles	
			5.2.2	Sub-Program Head	
			5.2.3	The Sub-Program Body	
			5. 2. 4	Examples	
			5. 2. 5	Calling Sub-Program	
			5. 2. 6	Examples	
			5.2.7	Functions as Actual Parameters	
			5. 2. 1	functions as Actual Parameters	. 50
Chapter	6:	INPU	T. OUTPU	JT and FORMAT STATEMENTS	
		6. 1	50	Output Statements	. 31
		6.2	-	ted Input and Output	
			6.2.1	Unformatted READ	
			6.2.2	The Data Tape	
				Unformatted WRITE	-
		6.3		Statements	
		0. 5	6. 3. 1	Field Descriptors	
			6. 3. 1. 1	Numeric Field Descriptors	
			6. 3. 1. 2	Alphanumeric Field Descriptors	
			6. 3. 1. 3	Alphanumeric Data	
		¥: = =	6. 3. 2	Field Separators	
			6. 3. 2. 1	Comma	
			6. 3. 2. 2	Oblique Stroke	
			6. 3. 3	Repeat Counts	
			6. 3. 4	Exhaustion of a READ, WRITE or	, 51
			0. 3. 4		27
			/ 2 5	FORMAT List	
			6. 3. 5	Records	
			6. 3. 6	The implied FORMAT Statement	, 30
Chapter	7:	CODE	2 -		
	38 357	7.1		ions	39
			7.1.1	Format	
			7.1.2	SIR Facilities Available in Code Bodies	
			7.1.2.1	Labels	
			7.1.2.2	Global Identifier List	
		7.2		cation with Fortran Text	
			7.2.1	Labels	
			7. 2. 1. 1	Statement Numbers as SIR Labels	
			7. 2. 1. 2	Location of Variables	
			7. 2. 2	Simple Local Variables	
			7.2.3	Array Variables	
			7. 2. 3. 1	Unchecked Access	
			7. 2. 3. 2	Checked Access	
			7. 2. 4	Variables in COMMON	
			1. 6. 4	AUTIONICS III OOMMINIOM	Y.O

				Page
			7.2.5 Parameters	50
			7.2.5.1 Defining Sub-Programs	50
			7.2.5.2 Calling Sub-Programs	52
			7.3.1 Floating Point Arithmetic	53
			7.3.2 Library Functions	53
			7.3.3 Input and Output	54
		7.4	Example	55
Chapter	8:	ERR	OR MESSAGES	
1		8. 1	Error Detected by the Translator	58
		8.2	Queries Raised by the Translator	61
		8.3	Error Detected by the Assembler	62
		8.4	Errors Detected at Run-Time	64
			8.4.1 Number Too Large For Style of	4.7
			Printing	67
			T TANDATE NO	01
Chapter	9:	OPE	RATION OF THE FORTRAN (BASIC SYSTEM)	
		9.1	General	68
			9.1.1 Distribution	68
		9.2	Translation	68
			9.2.1 Report Mode	69
		9.3	Loading and Running	69
			9.3.1 Batch Mode	69
			9.3.2 Relocatable Mode	70
			9.3.3 User's Library	71
61	4.0		032 032 032 034 036 034 034	
Chapter	10:	Discount of the Paris	E USED ON THE BASIC SYSTEM	
		10.1		7.2
		10.2	Store Used at Run-Time	7.2
Chapter	11:	OPE	RATION OF THE FORTRAN 16K (LG) SYSTEM	
		11.1	General	73
		11.2	Operation of the system	73
			11.2.1 Report Mode	73
			11.2.2 Load and Go Mode	73
			11.2.3 User's Library	74
			11.2.4 Overwriting of compiler	75
		11.3		75
		11.4	Size of COMMON area	76

					Page
Chapter	12: OPERA	ATION OF THE FORTRAN 16K (LP) SYSTE	M		
State of the State	12.1 Ger	neral		• :• :	77
	12.2 Ope	eration of the System			77
	12.2.1	Report Mode			77
	12.2.2	Translation Mode		• :•:	77
	12.2.3	User's Library			78
	12.3 Sto:	re Used			79
	12.3.1	Compile Time			79
	12.3.2	Run Time			79

Chapter 1: SYSTEM SPECIFICATION

1.1 Minimum Configuration

The 900 FORTRAN system described in this document is designed for use on the 903 computer. The minimum configuration is a 903B with 8192 words of store, paper tape reader and punch.

1.2 Method of Operation

The compiler translates FORTRAN programs into SIR. The resultant SIR program is subsequently translated and run in conjunction with a special FORTRAN functions package.

1.3 The Language

The language incorporates most of the features of basic ASA FORTRAN. It incorporates, in addition, certain features of full ASA FORTRAN.

1.4 Form of Distribution

900 FORTRAN is distributed as a set of two binary

(1) The Translator

tapes:-

(2) The Run Time Package

Further details are given in Chapter 9.

1.5 The 900 FORTRAN Representation

900 FORTRAN is paper tape orientated. The characters recognised by the SIR internal code (2.1.1 para 1.5) may be used in punching FORTRAN programs.

Certain characters, which are not part of FORTRAN, may only be used in Alphanumeric text and in SIR instructions within the FORTRAN program.

1.5.1 The Characters Erase, Runout and Halt

The characters Erase and Runout may appear anywhere and are always ignored. The character Halt is used for stopping the computer at the end of a data tape or tape of FORTRAN text, in order that the data or FORTRAN text may be continued on another tape. Halt should only be used at the beginning of a new line.

1.5.2 Punching Instructions

An example is given in 1.5.6.

A 900 FORTRAN program may be punched on any one of several types of tape perforation equipment operating in the ISO code. Whatever equipment is used on the punched tape should either be verified on a verifier-punch by a second operator, or be printed up. In the latter case the print-up produced from the tape should be carefully checked against the original program manuscript. On some equipment new-line is punched as a single character, while other equipment uses separate carriage-return and line feed characters. On the latter equipment N consecutive new-lines should be punched as:-

carriage-return, N line-feeds, blank

- (2) FORTRAN programs may be written either on a pre-printed form (The ELLIOTT FORTRAN Program Sheet) or on lined paper with a vertical line added about $1\frac{1}{2}$ " (4 cm) from the left-hand margin.
- (3) Punch exactly what is necessary to produce a print-out like the written program, i.e. all blank lines, spaces, etc.
- (4) If anything is written to the left of the vertical line it must be punched and at least two spaces left between it and the rest of the information on that line.
- (5) Care must be taken to avoid confusion between characters, in particular between

figure 0 and letter O

figure 1 and letter I

figure 2 and letter Z

figure 5 and letter S

These must be punched correctly and punch operators should familiarise themselves with the difference in print of these characters and with the conventions used by the various authors of the manuscripts which they are called upon to punch.

- (6) About 6" (15 cm) of blank tape should be runout at the beginning of every tape punched.
- (7) A wrong character may be cancelled by over-punching with 'erase'. This erase character does not count towards the maximum number of characters that may be punched on a line (see 9 below).
- (8) Every tape should be ended by

new line

about 2" (5 cm) blank tape

Halt code

about 6" (15 cm) blank tape

- (9) There may not be more than 120 characters on a line of text (Blank and erase do NOT count towards this total).
- (10) Some tape preparation devices can only print about the first 70 characters on a line. If a line is longer than this continue punching on the same line. Do not insert additional new-line characters. Note the circumstance, since especial care may be needed in checking that the line has been correctly punched.

1.5.3 Names Starting with Q

If the name of a program, sub-program or identifier starts with the letter Q, its next character must be the letter U. Additional SIR identifiers are introduced as labels, during the translation of FORTRAN. These identifiers start with the letter Q followed by a character other than U. Consequently, if this restriction is not observed, clashes may occur.

- 1.5.4 Program Writing
- (1) Each FORTRAN statement starts on a new line.
- (2) Continuation lines are permitted only for FORMAT and GLOBAL statements and begin with a currency symbol (\$ or £).
- (3) Comment lines start with the character C, followed by two or more spaces. The FORTRAN word CALL must be terminated by space. Elsewhere spaces are not significant, except in alphanumeric strings.
- (4) Programs may be written either on a pre-printed form (Elliott FORTRAN Program Sheet) or on lined paper on which a vertical line has been drawn about $1\frac{1}{2}$ " (4 cm) from the left-hand margin.

To the left of this line are written:

- (i) The letter C indicating a comment
- (ii) Statement numbers.
- (iii) A currency symbol, indicating a continuation statement.
- (5) There must not be more than 120 characters on a line.
- 1.5.5 The Program Title

A 900 FORTRAN program or sub-program must be preceded by a GLOBAL statement which comprises the name of the program, followed by a list of the names of any sub-programs it uses. This statement is compulsory for programs, but may be omitted for any sub-program which does not itself use sub-programs.

The list is preceded by the word GLOBAL and the names comprising it are separated by commas, it may extend over several lines (and these additional lines must start with a currency sign) and it is terminated by].

Examples

GLOBAL, PROG]
GLOBAL, PROG3, SUB1, SUB2, MAXMULT, MXDIV
£ INVMX]

1.5.6 Example

An example of a Program:

(a) As Written

SUBROUTINE MXMULT (A, B, C, I, J, K)
DIMENSION A(I, K), B(I, J), C(J, K)

C A=B*C
DO 1 II = 1, I
DO 1 KK = 1, K
AA = 0
DO 2 JJ = 1, J
AA = AA + B(II, JJ)* C(JJ, K)

A(II, KK) = AA

RETURN

END

- (b) As Punched
- (i) First Layout

END

(ii) Alternative layout

SUBROUTINE MXMULT (A, B, C, I, J, K) DIMENSION A(I, K)B(I, J), C(J, K)

C A = B*C DO 1 II = 1, I DO 1 KK = 1, K AA = 0 DO 2 JJ = 1, J

AA = AA + B(II, JJ) * C(JJ, KK)

A(II, KK) = AA RETURN

END

1.5.7 Correction of FORTRAN Programs

Corrections may be made in either the original FORTRAN, or in the SIR program, which is produced from it. To assist the user in making corrections in the second way each group of SIR statements is preceded by a comment line comprising the FORTRAN statement which give rise to them.

To assist the programmer in editing his tapes the halt code character is available. To insert a statement or group of statements into a program after a given statement S say, punch a halt code onto the tape on the blank that forms part of the new-line sequence that terminates S. On reading the halt code the computer will come to a systems wait. Then translate the additional statements (the last one being followed by a halt code on a new line), and finally continue translating the original program.

Alternatively, a 900 FORTRAN program may be modified by the use of the 903 Edit program. (see Volume 2.3.2)

Chapter 2: LANGUAGE SPECIFICATION

2.1 Constants

2.1.1 Integer or Fixed Point Constants

An integer constant must lie in the range

-131071<constant<+131071

If it is negative it must be preceded by a minus sign, if it is positive it may, but need not be, preceded by a plus sign.

2.1.2 Real or Floating Point Constant

A real constant possesses one or both of two features that distinguish it from integer constants

- (i) A decimal point
- (ii) An exponent

An exponent consists of E followed by an integer. It follows a number which may, but need not, contain a decimal point and indicates the power of ten to which the number as written is to be raised, to obtain the intended number. On a data tape an exponent part occurring by itself is treated as though it was preceded by 1. This form may not occur in the text of a program.

A real constant must lie in range


-263 < constant < 263. i.e. approximately -9,018<constant<9,018

Within the machine it is expressed to a precision of about one part in 10^8 .

A constant may not contain a space.

On data tapes 10 and @ are permissible

alternatives to E.



- 2.2 Names or Identifiers
- (1) A name is a string of letters and digits that begins with a letter.
- (2) An integer name starts with I, J, K, L, M or N.
- (3) A real name starts with any other letter.
- (4) If a real name starts with the letter Q its second character must be the letter U. (The reason for this special restriction of 900 FORTRAN is explained in 1.5.3).
- (5) Names may comprise any number of characters.

 However they are only distinguished by their first six characters.

2.3 Variables

2.3.1 Integer or Fixed Point Variables

These variables are the names of quantities that only take integer values.

They are defined by integer names (see 2.2)

The values assigned to them during computation must be permissible values for integer constants (see 2.1.1).

Unless a COMMON statement (see chapter 4) requires otherwise, each integer variable is allocated a unique store location.

2. 3. 2 Real or Floating Point Variables

These variables are the names of continuously varying quantities.

They are defined by real names (see 2.2).

The values assigned to them during computation must be permissible values for real constants (see 2.1.2).

Unless a COMMON or EQUIVALENCE statement (see Chapter 4) required otherwise, each real variable is allocated to a unique pair of adjacent store locations.

2.4 Arrays or Subscripted Variables

2.4.1 Subscripts

A subscript comprises an integer expression of one of the following forms:

where I may be replaced by any integer variable (see 2. 3. 1) and 2, 3 and 4 may be replaced by any integer constants. A unary plus or minus sign may be prefixed to any of these forms e.g. -I, + 3 * I.

2.4.2 Subscripted Variables

Before it is used a subscripted variable must be declared as such in a DIMENSION statement (see 4.1).

It may be a real or an integer variable (see 2.3).

It may have up to two subscripts which are written in parentheses after its name.

If it has two subscripts they are separated by a comma.

Whenever a subscripted variable is referred to during the execution of the program its subscripts are evaluated. The values they are found to have must be positive and be less than the maximum values specified by the DIMENSION statement in which it was declared. (In the case of a subscripted parameter of a sub-program the relevant maximum value is that of the <u>actual</u> parameter specified in the current call of the sub-program).

2.4.3 Storage of Arrays

The elements of arrays with two subscripts are stored with the value of the first subscript varying most rapidly.

2.4.4 Examples

A(1) DOG (3, 7*ITEM-5000)

elements of real arrays

LIST(4*JULIET) JIG(2*I-9,-4*J+100)

elements of integer arrays

2.5 Expressions

FORTRAN expressions comprise a string of constants, variables and functions separated by operators and delimiters.

The operators are:

- + which indicates positivity or addition.
- which indicates negation or subtraction.
- * which indicates multiplication. (It is used rather than x to avoid confusion with the letter X).
- / which indicates division.
- ** which indicates exponentiation.

The delimiters are:

() which enclose subscripts and parameter lists and modify the order of the evaluation of the terms of expressions.

which separates items in a list.

<space> which may make the expression easier for a human being to read but is ignored by the compiler inside an expression.

<newline> which terminates the expression.

- 2. 5. 1 Order of Evaluation of Terms
- (1) The current values of all the variables in the expression are first determined. (This may require the evaluation of subscripts or functions before the evaluation of the main expression can continue).
- (2) Any exponentiation operations are next performed. The desired order of multiple exponentiation should be indicated by parentheses. If these parenthese are omitted 903 FORTRAN will evaluate the expression from the left, other compilers may however reject the construction or evaluate it differently.
- (3) Multiplication and division occur next.
- (4) Addition and subtraction are performed last of all.

Parentheses may be freely used, to indicate the grouping of terms. Sub-expressions within parentheses are evaluated in the same manner but not necessarily in same order as subscripts or functions and the value so found is used in further determination of value of the main expression.

Note 1. The effect of division extends only over the next element. For example:

A/B*C is equivalent to (A/B)*C or A*C/B A/B/C is equivalent to A/(B*C)

Note 2. If the terms of an expression involving real variables are of widely differing magnitudes the result may, because of the finite precision of representation of intermediate results, depend on the order in which various operations are performed. Thus, if A=B=10¹⁰ and C=10⁻¹⁰ then (A-B)+C=10⁻¹⁰ while A-(B-C)=0 If in such cases, the desired order of evaluation cannot be specified by the judicious use of parentheses then the expression must be rewritten as several separate expressions.

2.5.2 The Types of Results

- (1) If, in evaluating the parts of an expression it is necessary to add together, subtract or multiply terms of which some are real and others are integer, all the integer terms are converted to real before the evaluation preceeds.
- (2) Division and exponentiation always yield real results.

2.5.3 Exponentiation

The validity of a**b depends on the values of a and b and on the type of b. The result, where it exists, is always real.

If b is an integer variable, constant or expression then the operation is valid unless both a and b are zero. In all other cases the result is that obtained by multiplying a by itself |b| times, and, if b is negative, taking the reciprocal.

If b is a real variable, constant or expression then the operation is only valid if a is positive. The result, when it exists has the value $\exp(b*\log_e(a))$

If, when a and b are of type integer and b is negative, exponentiation is required to give a zero answer, it is suggested that the following function sub-program be introduced:

FUNCTION IEXP(I, J)

- IF (J) 1, 2, 3
- $1 ext{IEXP} = 0$
 - RETURN
- 2 IEXP = 1
 - RETURN
- 3 IEXP = I**J RETURN END

2.5.4 Division

If integer division is required it is suggested that the following function sub-program be introduced:

FUNCTION IDIV(I, J)
IDIV = I/J
RETURN
END

This will give an integer result rounded towards zero, as exemplified by the following table:

K	IDIV (K, 3) and IDIV (-K, -3)	IDIV (-K, 3) and IDIV (K, -3)	
0,1 or 2	0	0	
3, 4 or 5	1	- 1	
6,7 or 8	2	- 2	
	• • •		
3n, 3n+1 or 3n+2	n	n	

Chapter 3: STATEMENTS

3.1 Statements.

A FORTRAN program consists of a sequence of statements. These are two types:

- (1) Executable statements, which are obeyed when the program is run.
- (2) Non-executable statements, which further define the meaning of executable statements. Non-executable statements are of four types:
 - (a) Those which give information to the compiler e.g. COMMON statements.
 - (b) Those which further define run-time operations, e.g. FORMAT statements.
 - (c) Those which contain information used both during compilation and at run-time.
 e.g. DIMENSION statements.
 - (d) Those which may contain information of value to human beings reading the program, but which have no effect whatsoever on its compilation or running. i.e. Comments.

3.2 Arithmetic Assignment Statements

An arithmetic assignment statement is an executable statement of the form

v=e

where v represents an arbitrary variable and e represents an arbitrary expression. If v and e are of different types automatic type conversion occurs. When a real result is assigned to an integer variable:

- (a) It is always rounded towards zero.
- (b) Integer overflow may occur.

3. 3 Control Statements

Control statements indicate the order in which the executable statements of a program are to be obeyed. Usually they indicate departures from obeying executable statements in the order in which they are written.

3. 3. 1 Statement Numbers or Labels

A statement number is an unsigned integer in the range 1 to 99999 inclusive that is prefixed to a statement to allow it to be referred to by other statements. A given statement number may only be used once within a given program or sub-program. Not more than one statement number may be prefixed to a statement.

3. 3. 2 GOTO including IF.

GOTO statements are control statements that indicate explicitly that executable statements are not to be obeyed in sequence. They are themselves executable statements. A GOTO statement gives the number of the statement that is to be obeyed next. This next obeyed statement must be an executable statement.

The next executable statement after a GOTO statement must bear a statement number.

Three types of GOTO statements are available in 900 FORTRAN.

- (1) The unconditional GOTO statement
- (2) The computed GOTO statement
- (3) The IF statement

3. 3. 2. 1 Unconditional GOTO

These statements are of the form

GO TO n

where n is the number of the statment which is to be obeyed next.

Examples.

GO TO 7 5 GO TO 8

3. 3. 2. 2 Computed GOTO.

These statements have the form

GO TO(n₁, n₂, n₃... n_m), i

where $n_1, n_2, n_3 \dots n_m$ are m statement numbers (which need not all be different) and i is a non-subscripted integer variable which, whenever the statement is obeyed, must have a value in the range $1, 2, 3 \dots m$.

Examples.

GO TO (53, 1, 53, 437), INDEX GO TO (150, 151), NY

3. 3. 2. 3 IF

These statements have the form

 $IF(e)n_1, n_2, n_3$

where e is an expression and n_1 , n_2 and n_3 are three, not necessarily distinct, statement numbers. Control is transferred to n_1 , n_2 or n_3 according to the sign of e.

Sign of e	Label of the Next Executable Statement
NEGATIVE	$\mathbf{n_1}$
ZERO	$\mathbf{n}_{\mathbf{z}}$
POSITIVE	n ₃

Examples.

IF(INDEX-2)53, 1, 500 500 IF(INDEX-3)999, 53, 437 IF(NY-2) 150, 151, 999 Provided that INDEX and NY only take their expected values ((1 to 4) and (1 or 2) respectively) this sequence of IF statements has the same effect as that of the sequence of two computed GOTO statements given as an example in 3. 3. 2. 2. Control can never be transferred to the label 999, and in practice this would either label a dummy statement such as CONTINUE or would be replaced in the IF statements by the adjacent statement number so that, for example, the last statement above would be written

53 IF(NY-2) 150, 151, 151

3. 3. 3 CONTINUE

A CONTINUE statement is a dummy executable statement which allows a statement number to be placed at some point where it might not otherwise be placed.

Since it is itself an executable statement its use does not permit several numbers to be attached to the same statement.

3. 3. 4 DO

A DO statement indicates that the following group of statements, up to and including the statement whose reference number is given in the DO statement, are to be obeyed a number of times while an integer variable takes a succession of values in arithmetic progression. It is written in the form

DO
$$n = m_1, m_2, m_3$$

where

- is the statement number of the last statement to be obeyed each time the DO loop is traversed,
- i is an un-subscripted integer variable,
- m₁ is the value to be assumed by i the first time the DO loop is is traversed,
- m₃ is the constant interval of the arithmetic progression of values assumed by i. It must be greater than zero.
- m_2 which must be greater than m_1 , is the greatest value which i may assume. (It need not be attained nor, if $m_3 > 1$, need it be attainable)

 m_3 is added to i at the end of each traverse of the DO loop. If the new value of i is less than or equal to m_2 the loop is traversed again. Otherwise the loop is terminated and the next executable statement (following the statement labelled n) is obeyed.

 m_1, m_3 and m_3 may be unsubscripted integer variables or unsigned integer constants.

If m_3 has the value 1 it may be omitted and the DO statement written in the form

DO ni=m1, m2

When the DO loop is left because if i were again incremented it would exceed m2, the value of i is undefined.

If the DO loop is left by means of a GOTO statement the value of i is preserved.

. The values of i, m_2 and m_3 may not be altered within the DO loop.

With one exception a GOTO statement may not cause a jump into a DO loop that bypasses its initial DO statement. The exception is when the DO loop was itself left by a jump and the values of i, m_2 and m_3 have not since been altered.

DO loops may occur within DO loops to a depth of 20.

DO loops may not intersect each other.

The first statement of a DO loop must be an executable statement.

The terminating statement of a DO loop must not be a GOTO statement (an IF statement is a GOTO statement). Where this restriction arises a CONTINUE statement should be used after the GOTO statement.

or because the

3. 3. 4. 1 An Example of Correctly Nested DO Loops.

DO 307 I=1, 10 DO 307 J=I, 30, I DO 314 INDEX=5, 15 A(I, J) = A(I, J) - B(INDEX)314 CONTINUE DO 330 INDEX=-10, 0, 3 DO 329 K=LLB, 12 IF(B(INDEX+10)) 345, 329, 345 329 A(INDEX+10, K)=0.330 CONTINUE DO 307 K=1, 10 **GOTO 307** 345 G = G+1GOTO 329 307 CONTINUE

3. 3. 5 PAUSE

An executable statement that causes the computer to wait until the operator indicates that computation is to continue. It should normally be preceded by a statement that causes a message to be displayed telling the operator to take some special action (e.g. to load the next data tape).

3. 3. 6 STOP

An executable statement that causes the computer to abandon the calculation. The program cannot be continued, it will normally remain intact in store, so that it can be re-entered at the beginning with a fresh set of data.

3. 3. 7 END

An executable statement which

- (1) Tells the compiler that it has reached the of the program or sub-program that it is translating into SIR.
- (2) Has, at run time, the same effect as STOP.

3. 3. 8 RETURN

An executable statement which may only occur in a sub-program and indicates that the sub-program has completed its task and that control is to be returned to the calling program or sub-program at the executable statement following its call.

Chapter 4: SPECIFICATION STATEMENTS

Three types of specification statement are available in 900 FORTRAN:

- (1) DIMENSION statements
- (2) COMMON statements
- (3) EQUIVALENCE statements
- 4. 1 DIMENSION

A DIMENSION statement is of the form

DIMENSION
$$v_1(i_1)$$
, $v_2(i_2)$, . . . , $v_n(i_n)$

where each v is the name of a subscripted variable and the corresponding i indicates the permissible range of values for its subscripts. Each i is either:

- a) an integer constant c indicating that v is a onedimension array (a vector) of c elements, which may be referred to as v(1), v(2) ... v(c), or
- b) a pair of integer constants c_1 , c_2 indicating that v is a two-dimension array of $c_1 * c_2$ elements which may be referred to as v(1, 1), v(2, 1)... $v(c_1, 1)$, v(1, 2)... $v(c_1, c_2)$.

If and only if, v is the name of an express formal parameter of a sub-program (see 5.2.5(3)) i may comprise the names of one or two integer variables which are also formal parameters of the sub-program. (see also 5.2.2, and 5.2.5.)

Example.

The second example could only occur in a sub-program which numbered A, B, C, I and J among its parameters.

4.2 COMMON

A program or sub-program may contain one or more statements of the form:

COMMON
$$v_1$$
, v_2 , ..., v_n

where each v is the name of a variable (which may be an array name) which is used elsewhere in that program or sub-program.

Subject to the rule that a real variable occupies two store locations while an integer variable occupies one location the effect is that the kth item in COMMON in a given program or sub-program occupies the same location in a special store area (the COMMON area) as the kth item in COMMON in any other program or sub-program. Variables are allocated store space in the COMMON area in the order in which they are listed in COMMON statements. If two or more COMMON statements occur in one program or sub-program then the first variable of each COMMON statement except the first is placed immediately after the last variable in the preceding COMMON statement.

COMMON serves two purposes:

- a) it provides an alternative method of communication between a program and its associated sub-programs to that provided by the use of express formal parameters (see 5.3)
- it permits the economic use of storage space.

 If arrays in a 900 FORTRAN program are placed in COMMON larger programs may be loaded, since the COMMON area may overwrite the program loader, whereas local arrays are embedded within each program unit.

Examples of the use of COMMON statements and of the resulting allocation of store locations are given in 4.6.

4. 3 EQUIVALENCE Statements

An equivalence statement is of the form:

EQUIVALENCE
$$(k_1)$$
, (k_2) , (k_n)

where each k is a list of the form:

$$a_1, a_2, \ldots a_m$$

and each a is the name of a variable or an array element.

In Basic 900 FORTRAN the occurrence of an EQUIVALENCE statement is noted by output of a query message, but no other action is taken. Run time store space is not saved by its use, but providing it has not been misused to equate entities, programs which use EQUIVALENCE will be correctly executed. Note that the definition of ASA FORTRAN specifically forbids the use of EQUIVALENCE to equate entities.

4. 4 Ordering of Specifications

A DIMENSION statement must precede the occurrence of the variables listed in it in any other statement.

A COMMON statement must precede the occurrence of the variables listed in it in any statement other than a DIMENSION statement.

An EQUIVALENCE statement must precede the occurrence of the variables listed in it in any statement other than a DIMENSION statement, a COMMON statement or other EQUIVALENCE statement. (This rule is inserted for compatibility with other dialects of FORTRAN. Its breach will not be detected and will not lead to failure of the program).

4.5 Inconsistent Specifications

4.5.1 DIMENSION and COMMON

Within a program or sub-program (see 5.2) a variable name may occur in at most one DIMENSION statement and one COMMON statement.

4.6 Examples

The specifications in program CAT:

DIMENSION A(5), I(3, 2), B(2), L(3) COMMON A, I, J, G COMMON K, LL

coupled with the specifications is sub-program DOG:

DIMENSION TAIL(6), L(3)
COMMON EAR, BARK, TAIL, F, K, BK

would lead to the following allocation of space in the first 20 locations of the COMMON area.

Location	Variables	declared in
Location	CAT	DOG
COMMON		
+1	} A(1)	EAR
+2		1
+3	A(2)	BARK
+4		1
+5	A(3)	TAIL(1)
+6	1]
+7	A(4)	TAIL(2)
+8	1	l
+9	A(5)	TAIL(3)
+10	I(1, 1)	1
+11	I(2, 1)	TAIL(4)
+12	I(3, 1)	T
+13	I(1, 2)	TAIL(5)
+14	I(2, 2)	ζ ΄
+15	I(3, 2)	TAIL(6)
+16	J	7
+17	1	F
+18	} G	K of DOG
+19	K of CAT]
+20	LL	> BK

4.7 Warning

Any user of COMMON statements is strongly advised to draw a store map such as that in 4.6. Effects such as the overlap of J and G of CAT with F and K of DOG are not erroneous but the effect is unlikely to be that desired by the programmer.

COMMON statements if carefully used can save space and simplify the calling and construction of sub-programs. If mis-used they can cause chaos.

Chapter 5: FUNCTIONS AND SUBROUTINES

A FORTRAN function is a single-valued function of one or more variables.

Three types of functions are available in Basic 900 FORTRAN:

- (1) Standard Library Functions
- (2) FUNCTION sub-programs
- (3) Additional Library Function (see Chapter 9)

A SUBROUTINE sub-program has the same form as a FUNCTION sub-program, but it returns the results, if any, of its computations to the program, or sub-program that called it by altering the values of one or more of its parameters and of variables in COMMON (see Chapter 4).

5.1 Library Functions

The following functions, which are all real functions of a single real argument, are automatically available to all users of 900 FORTRAN. Collectively they form the basic library on the 900 FORTRAN systems tape. Any of these Functions used within a program unit (Main program, subroutine or function) must be declared in a GLOBAL statement at the head of that unit (see 1.5.5)

ALOG (E)	The natural logarithm of E
SIN (E) COS (E)	The sine and cosine of E, where E is measured in radians.
EXP (E)	e^{E}
ATAN (E)	The principal value in radians of the arctangent of E
ABS (E)	The absolute value (modulus) of E. (Intended for use with real E).
SQRT (E)	The square root of E.
available: it is an in	In addition the following function is automatically teger function of an integer variable:
Function	Definition
IABS (IE)	The absolute value (modulus) of IE. (Intended for

use with integer IE).

Notes

- In SIN (E) and COS (E), ABS (E) must be less than 2^{18} . This condition is imposed to ensure that, after multiples of 2π have been removed, enough significant figures remain for the evaluation to be meaningful.
- 2. ATAN can take any value between $-\frac{\pi}{2}$ and $\frac{\pi}{2}$ inclusive. To the (finite) precision of the representation both values are attained.

5.2 FUNCTION and SUBROUTINE Sub-programs

In basic 900 FORTRAN all functions must be written as FUNCTION sub-programs. A value must be assigned to the function name within the sub-program body. (see 5.2.3)

The computation performed by a SUBROUTINE sub-program, however may result in the assignment of many or no values. Thus one SUBROUTINE might invert a matrix while another prints the results of a computation performed by the main program.

5.2.1 Sub-Program Titles

A sub-program should have a GLOBÁL statement as a title before its heading unless it does not use any sub-programs of library Function. (see 1.5.5) The first name in the GLOBAL list must be the sub-program name.

5.2.2 The Sub-Program Head

or

A sub-program head takes the form FUNCTION $f(m_1, \ldots m_k)$ SUBROUTINE $s(m_1, m_2, \ldots m_k)$ SUBROUTINE s

where

- (1) f is the name of the FUNCTION and specifies its type in accordance with the usual rules (see 2.2).
- s is the name of the SUBROUTINE. (A subroutine does not have a type associated with it consequently, apart from the Q rule (see 2.2) and the necessity of avoiding clashes of names the choice of s is completely arbitary)

- (3) The m₁, m₂, ... m_k are express formal parameters.
 Each m_i must be the name of a variable or an array.
 (e.g. an express parameter may not be a sub-program).
- (4) Each m_i which represents an array must appear in a DIMENSION statement within the body of the sub-program (see 4.1). In this DIMENSION statement the upper bounds of its suffices may be given either as integer constants or as integer variables which are themselves express formal parameters.
- (5) In addition to the express formal parameters a subprogram may refer to variables in COMMON, these may be regarded as implicit parameters.
 - 5.2.3 The Sub-program Body
 - (1) A sub-program body is, subject to certain special rules, a normal FORTRAN program.
 - A SUBROUTINE does not have a value and no assignment may be made to its name, s.

 It may communicate information to the program that called it (the main program or another sub-program) by altering the values of one or more of its parameters.
 - (3) Within a FUNCTION sub-program its name, f, acts as an ordinary variable, of the appropriate type. It is undefined on entry to the FUNCTION and a value must be assigned to it before the FUNCTION is left. This value is the value of the FUNCTION.
 - (4) The alteration by a FUNCTION of any of its parameters is not considered to be an error in 900 FORTRAN. However the evaluation of a FUNCTION may not validly alter the value of any other element within any expression, assignment statement or CALL statement in which the FUNCTION appears.
 - (5) A sub-program body may not itself contain a declaration of a sub-program.
 - (6) An explicit formal parameter may not occur in a COMMON or EQUIVALENCE statement (see Chapter 4).

- (7) When a sub-program has completed its task it returns control to the program that called it by means of a RETURN statement. This comprises the word RETURN on a line by itself.
- (8) The body of a sub-program is terminated by an END statement. This comprises the word END on a line by itself.

5. 2. 4 Examples

FUNCTION MAX (I, J)

IF(I-J)1, 1, 2 1 MAX=J

RETURN

2 MAX=I RETURN END

> GLOBAL, TMAX, MAX] FUNCTION TMAX (K, M)

- C TMAX TAKES THE GREATEST VALUE
- C OF K, M and A NUMBER READ FROM TAPE M=MAX (K, M)
 READ (1) TMAX
 IF (TMAX-M) 1, 2, 2
- 1 TMAX=M
- 2 RETURN END

SUBROUTINE MTXMLT(A, N, M, B, L, C) DIMENSION A(N, M), B(M, L), C(N, L)

C C BECOMES A TIMES B
DO 1 I = 1, N
DO 1 K = 1, L
D = 0.0
DO 2 J=1, M

- D = D+A(I, J)*B(J, K)
- 1 C(I, K)=D RETURN END

- 5.2.5 Calling Sub-Program
- (1)A FUNCTION sub-program is activated by writing

$$f(m_1; m_2, ..., m_k)$$

in some statement which can make use of the value of f.

(2) A SUBROUTINE sub-program is activated by a CALL statement, e.g.:

CALL
$$s(m_1, m_2, ..., m_k)$$

The FORTRAN word CALL must be terminated by at least one space

- (3)If an express formal parameter is an array the corresponding actual parameter must be an array of the same type with the same number
- of dimensions. (4)If an express formal parameter which is an

How to ger variable subscripts.

integer variable is used as a subscript bound then the corresponding actual parameter must be an integer variable to which the correct value of the subscript bound has been assigned prior to the call of the procedure. (This rule is inserted for compatibility with other dialects of FORTRAN. Whatever bounds are quoted for the subscript of an express formal parameter which is an array the true bounds of the actual parameter will be used in verifying that any reference to that array is valid).

- (5) If an express formal parameter is a simple variable the corresponding actual parameter must be a simple variable, array element, or constant or expression of the same type. If an actual parameter is a constant or expression then the corresponding formal parameter:
 - (a) must not occur in a DIMENSION statement
 - (b) must not have a value assigned to it during the execution of the sub-program.
- (6) The actual parameters need not all be distinct.

5.2.6 Examples

This example is based upon the example of sub-programs in 5. 3. 4.

GLOBAL, EXAMPLE, MAX, MTXMLT] DIMENSION K(50), A(5, 10), B(10, 20), C(5, 20)

- C THE ELLIPSIS INDICATES THE ASSIGNMENT OF
- C VALUES TO THE ELEMENTS OF K, A AND B I=MAX(K(1), K(2))

DO 1 J=3, 50

 $1 \qquad I=MAX(I, K(J))$

I1 = 5

12 = 10

13 = 20

CALL MTXMLT(A, I1, I2, B, I3, C)

END (H)

5. 2. 7 Functions as Actual Parameters

Where the actual parameter to a sub-program is an expression, this expression may include Function calls. Where a function name with parameters, e.g. SIN(X) is used as an actual parameter by itself, it should be converted to an expression by enclosing in a set of parentheses. e.g.

$$B = TMAX(X, (SIN(Y)))$$

SIN(Y) is evaluated before TMAX is entered. This rule is given for compatibility with other dialects of Fortran. In fact the expression

$$B = TMAX(X, SIN(Y))$$

will have the same effect in Basic 900 Fortran, but not with other compilers.

Chapter 6: INPUT, OUTPUT and FORMAT STATEMENTS

6.1 Input and Output Statements

Input and output statements take the form

where:

u is an integer constant or variable indicating a device f is the statement number of a FORMAT statement (see 6.3) k is a list of items to be input or output

If'f'is absent the statements are known as unformatted statements, otherwise they are known as formatted statements.

Value of	Device referred to in a			
u	READ statement	WRITE statement		
1	The tape reader	<error></error>		
2	<error></error>	The tape punch		
3	The teleprinter	The teleprinter		
4-5	<error></error>	<error></error>		
6-8 see note 2		see note 2		

Notes:

- 1. If u is less than 1 or greater than 8 or the word error appears against the value of u then reading will take place from the tape reader or writing to the tape punch.
- 2. The numbers 6-8 are reserved for special input/output routines.

6.2 Unformatted Input and Output

6.2.1 Unformatted READ

In the statement sequence

DIMENSION Y(2, 3), B(10)

J=3

READ (1) X, Y, J, B(J)

The effect of the READ statement is to assign the first number on the data tape to the variable X, the next six numbers to the six elements of Y in the order Y(1,1), Y(2,1)... Y(2,3) the eighth to J and, irrespective of the new value of J, the ninth number to B(3).

6.2.2. The Data Tape

Each number on the data tape must be written in one of the forms specified for a constant in Chapter 2.1 in accordance with the following rules:

- (1) A number is terminated by one or more spaces, tabs or line feeds.
- (2) To provide compatibility with Elliott Algol and to improve the legibility of data tapes

 10 and @ are acceptable alternatives to E.
- (3) Blank tape, carriage return and erase are always neglected.
- (4) If a Halt code is encountered while a number is being read, the effect is as for a PAUSE statement (see 3.3.5).
- (5) Except as described in 6. 3. 1. 3 (which deals with the input of alphanumeric strings) no symbol other than the digits +, -, . and those listed in (1) to (4) above may occur on a data tape.

6.2.3 Unformatted WRITE

An unformatted WRITE statement causes numbers to be output five to a line. Thus the statement

would cause output according to the following pattern

$$I^{8}$$
 Y(1,1) Y(2,1) Y(1,2) Y(2,2) Y(1,3) Y(2,3) 14 B(J)

Unformatted output obeys the following rules

- (1) It is restricted to numerical values
- (2) These are output five to a line in floating point format, e.g.:

$$-0.19300_{10}^{+03}$$

(3) Both integers and real numbers are output in this format which is equivalent to FORMAT (5E12.5) (see 6.3.1.1.).

6.3 FORMAT Statements

If a READ or WRITE statement refers to a FORMAT statement then its effect is determined by the FORMAT statement.

A FORMAT statement specifies the desired relationship between internal representations and external character strings.

It has the form

FORMAT
$$(q_1 t_1 z_1 t_1 z_2 \dots t_n z_n q_2)$$

where

- q represents a possibly empty sequence of oblique strokes (see 6.3.2.2)
- t represents a field descriptor or group of field descriptors (see 6.3.1 and 6.3.3)
- z represents a field separator (see 6.3.2). There need not be any pairs t_i z_i

If the FORMAT statement is continued over several lines, each line must end with a field separator, and each continuation line must start with the character \$ or £.

6. 3. 1 Field Descriptors

The following field descriptors are available

in 900 FORTRAN

where the letters F, E, I, H and X represent the nature of the conversion to be performed between the internal and external representations. They are called conversion codes.

w and n	are unsigned non-zero integer constants
	representing the total number of characters
	occupied by the field in the external string.

6.3.1.1 Numeric Field Descriptors

Descriptor

Effect on Output

Ew.	d	
		 13.1

(W≥d+7)

Output a real number with a total of w characters. This will take the form: (w-d-7) spaces, sign, zero, decimal point, d decimal digits, 10, sign of exponent, two digit decimal exponent.

Fw. d

 $(W \geqslant d+2)$

Output a real number with a total of w characters. This will take the form sign, w-d-2 decimal digits, decimal point, d decimal digits. If the number is sufficiently small the sign will be floated, being preceded by the requisite number of spaces. If w>d+2 then at least one digit will be punched before the decimal point.

Iw

(W≥2)

Output an integer with a sign and w-1 digits. The sign may be floated as described under Fw. d.

34

(Issue 3)

Effect on Input

On input these descriptors indicate that a number is to be input at this point, but do not imply that that number is a real number or an integer, that it is punched in any particular style or that it occupies w places.

TABLE

Effect of Numeric Items in READ and PUNCH Lists

		2
Item	Effect in a READ List	Effect in a WRITE List
A simple variable (which does not occur in a DIMENSION statement)	A number is input from the specified device and its value is assigned to the variable.	The value of the variable is output to the specified device.
A subscripted variable e.g. B(7, J)	As for a simple variable (but see note 1)	As for a simple variable (but see note 1)
The name of a DIMENSIONED variable e.g. B	The appropriate number of values is read from the specified device and they are assigned, in order, to the elements of B.	The values of the elements of B are output in order.
A constant	NOT PERMITTED	As for a simple variable.
An expression (see note 2)	Data is read and ignored.	The expression is evaluated and its value is output
The name of a FUNCTION		
 i) Inside its defining sub- program. (The name by itself without para- meters) 	As for a simple variable.	As for a simple variable.

Item	Effect in a READ List	Effect in a WRITE List
(ii) Elswhere (A call of the FUNCTION with a parameter	NOT PERMITTED	NOT PERMITTED
list) The name of a	NOTE DED ACTOMINATE	
subroutine	NOT PERMITTED	NOT PERMITTED

Note 1: The identity of the items in a READ or PRINT list is determined before the values of any items in that list are input or output. Consequently, if the next two items on a data tape are 3 and 3.14159, one effect of

I=7

READ(1)I, A(I)

is to assign the value 3.14159 to A(7). The value of A(3) is unaffected.

Note 2: An expression in a READ or WRITE list may only refer to the name of a FUNCTION if it is inside the defining sub-program of that FUNCTION. Any other reference is an error.

		6. 3. 1.	2 Alphanumeric Field I	Descriptors
	Descriptor		Effect on Input	Effect on Output
	$nHh_1h_2h_n$	by	eplace the n characters the string which is the ext item of data.	Output the n characters or the characters which have replaced them as
	GLOBAL TESTI WRITE(3,1)	with data	as a	the result of an input operation.
	READ(1,1) WRITE(3,1) 1 FORMAT(5HMMM) END	TITLE has effection		
1	FIRST LAST NEX 3609 3635 3636 MMMMM			

6.3.1.3 Alphanumeric Data

Alphanumeric strings on data tapes must be surrounded by the string quotes 'and'. If the string on the data tape is shorter than is specified by the FORMAT descriptor terminal spaces are authomatically inserted to bring it up to the correct length. If the string is longer it is truncated and tape is skipped up to the terminating'. 'and' may not themselves appear within an alphanumeric string.

6.3.2 Field Separators

The field descriptors are separated by oblique strokes or commas.

6.3.2.1 Comma

A comma placed between field descriptors serves to separate them. It has no other effect.

6.3.2.2 Oblique Stroke.

One or more oblique strokes placed before, after or between field descriptors serves, if placed between descriptors, to separate them. Furthermore each oblique stroke indicates that a new-line sequence is to be output.

6.3.3 Repeat Counts

If a field descriptor or a sequence of the

form:

within sequences.

$$(q_1t_1q_1t_2z_2...t_nz_nq_n)$$

is preceded by an unsigned indicator the descriptor or sequence is repeated the indicated number of times.

In 900 Fortran sequences may not occur

6.3.4 Exhaustion of a READ, WRITE or FORMAT List

If a formatted READ or WRITE list is exhausted before the end of its associated FORMAT statement input or output ceases. If the FORMAT statement is again referred to, whether by the same or another input/output statement, it is once more obeyed from the beginning.

If a FORMAT statement is exhausted while elements still remain in the READ or PUNCH list, which refers to it, it is obeyed again from the repeat count, if any, preceding its last left bracket.

6. 3. 5 Records

A new record is begun

- a) At the beginning of a FORMAT statement
- b) Whenever / is encountered
- when going back to the repeat count, if any, preceding the last left bracket after exhaustion of a FORMAT statement. Cases (a) and (c) are implicit. Case (b) is explicit.

A new record normally starts on a new line. This effect of an implicit new record may be cancelled by the control character (Field Descriptor) Z immediately following the appropriate left bracket. If a Z is encountered at any other time it is ignored. e.g.

FORMAT (13, 4(15))

prints five integers on the first line and four on each succeeding line. The first integer is preceded by a new line.

prints integer indefinitely on the current line.

6.3.6 The implied FORMAT statement

The FORMAT statement used where none

is specified is

FORMAT (5E12.5)

Chapter 7: CODE

7.1 Code Sections

Certain operations can be performed faster and require less machine instructions when written directly in SIR than when written in FORTRAN and translated into SIR. This is because the Fortran compiler must cater for all possibilities, but the programmer writing in machine code need consider only his special case. Code sections can be particularly advantageous in matrix work.

The examples in this chapter have been chosen to illustrate the method of writing SIR coding as part of a FORTRAN program. They are not necessarily suitable for use unmodified. Further examples may be found by examining the object code of a Fortran source program.

The reader of this chapter is assumed to be familiar with SIR and in particular with QF, QFMATH and the precautions necessary in performing machine code multiplication and division of integers.

7.1.1 Format

A code section may be a complete sub-program or may be part of a program, the rest of which is written in Fortran source text. It is preceded by the statement CODE, and is terminated by the character string FORTRAN on a newline.

The statement CODE may be numbered: the label will refer to the first word in the code body. A SIR label may appear on the line before the word FORTRAN: the label will refer to the following FORTRAN statement. The word CODE must be followed immediately by newline.

```
900
2.1.3
```

Example

```
FUNCTION INT1 (N)
C
     AT FIRST ENTRY N SHOULD BE ZERO, LEVEL 1, S-REG IS SET.
     THE MANUAL LEVEL 1 INTERRUPT MAY THEN BE USED.
C
     INTI MAY BE CALLED FROM A PROGRAM LOOP, AND WILL BE
C
C
     NON-ZERO IF AN INTERRUPT HAS OCCURRED.
     IF (N) 1.2.1
1
     INT l = IW
3
     IW = 0
     RETURN
2
     CODE
                 (SET LEVEL 1 S-REGISTER)
         ADLI
     FORTRAN
     GOTO 3
     CODE
ADLI
           LI
       0
       5
LI
           A
       3
           Q
     FORTRAN
     IW = 1
     CODE
       0
          Q
      14
           1
       4
          A
          7168
      15
       8
          LI
      A
          +0
      Q
          +0
      FORTRAN
      END
```

7.1.2 SIR Facilities Available in Code Bodies

The following facilities may be used in a code body without any syntactic restriction:

```
Constants: integer e.g. -79
fixed-point fraction e.g. +.317
octal e.g. &770123
alphanumeric e.g. £A23
```

Pseudo instructions e.g. 0 ;+1

Addresses:

absolute e.g. 32

block relative e.g. 5;

SIR relative e.g.; -3

identifier e.g. LIST +95

literal i.e. any constant or a

quasi-instruction e.g. =6 8191

Skip e.g. >5

Comments

e. g. (THIS IS A COMMENT)

(Comments must not contain the word FORTRAN)

Other facilities must be used with care, as

described below.

7.1.2.1 Labels

Labels used in the code body must not duplicate local labels used in the object code of the program or sub-program of which the code body is part. Duplication will be avoided by observance of the following rules:

- (i) labels whose first letter is Q must have U as their second letter (but see 7.2.1.1);
- (ii) the names of variables, used in the program or sub-program of which the code body is part, must not be used as labels in the code body.
- (iii) the word FORTRAN must not be used as an identifier in a code body;
- (iv) a global name must not be located more than once.

7.1.2.2 Global Identifier List

A global identifier list may appear at the head of the code body if and only if the body forms a complete sub-program. The list must include the name of the sub-program and the names of any other sub-programs used in the block. If any of the following identifiers are used they must also be included:

QYO QF QZCOM

No other identifiers may be included in the list.

The remaining facilities, including the following, may not be used in a code body:

sub-global labels;
end-of-tape symbol (<halt>);
end-of-program symbol (%)
options;

7.2 Communication with Fortran Text

The following paragraphs explain how code sections in a 903 Fortran program may communicate with identifiers in sections of the program written in Fortran text. Examples are given showing the code equivalents of various Fortran statements. However, the code shown does not necessarily correspond to that produced by the Translator when processing these statements. Examples of actual translations may be obtained by printing the object code tapes output by the Translator.

The descriptions are full at the beginning of the section. If a particular form of parameter word is used repeatedly reference is made back to the first example.

7.2.1 Labels

7.2.1.1 Statement numbers as SIR labels

If n is an unsigned integer between 1 and 99999 inclusive, then the Fortran statement number n is equivalent to the SIR label Qn. This fact may be used to transfer control between Fortran text and code bodies in the same program or sub-program.

7.2.1.2 Location of variables

Three types of variable may be used:

Local Variable: used in only one Fortran program or sub-program or SIR block. Every local variable must be located in the SIR block (either object code or code body) in which it is used. (See also below)

Common Variable: a variable named in a Fortran COMMON statement, or operated on in a sub-program written entirely in SIR as though it were so named. These variables are not located by name.

Formal Parameter: a variable named in parentheses in a Fortran FUNCTION or SUBROUTINE statement, or operated on in a sub-program written entirely in SIR as though it were so named. These variables are not located by name.

Care must be excercised in locating the local variables used in the code body. If the body is a complete sub-program then all communication with Fortran text must be via parameters (either explicit or implicit). Space is reserved for the actual parameters by the object code; only local workspace (and constants) for the sub-program are located in the code body. If the code body is only part of a program or sub-program then the user must locate, in a code body, any variables or constants that are referred to only in code bodies. Local variables used in Fortran text are located by the Fortran compiler when END is read.

Example

SUBROUTINE ERROR (N)

C THIS PUNCHES 20 BLANKS, N, 20 BLANKS A=0CODE Q1 4 -5120 1 CHAR Ll 15 6144 1 +2569 Ll 4 A 0.2 FORTRAN WRITE (1) N A=-1 GOTO 1 2 RETURN CODE CHAR +0 FORTRAN END

7.2.2 Simple local variables

Real variables are held in packed format, occupying two locations each. They are operated upon via QF. (See 900 Manual, Vol. 2.2.8, for further details).

Integer variables are held at 2⁻¹⁷ occupying one location each. Both are accessed by identified addresses.

7.2.3 Array variables

Two-dimensional arrays are stored with the first suffix varying most rapidly. Real arrays occupy two locations per element and integer arrays one per element.

An element is accessed by using the name of the array as a base address, and an offset determined by its type and position, For arrays in COMMON or array parameters see 7.2.3.2 and 7.4.

7.2.3.1 Unchecked access

Example

The Fortran statements

may be reduced to the following code body. A store map is given below to aid interpretation of the coding.

Notes

shown in the following table; The order of the array elements in store is

Location	Element	Location	Element
A A+1 A+2 A+3 A+4 A+5 A+14 A+15 A+14 A+15	A_1 A_2 A_3 \vdots A_8	I I+1 I+2 : : I+7 I+8 I+9 : I+15 I+16	I ₁₁ I ₂₁ I ₃₁ : : I ₈₁ I ₁₂ I ₁₂ : : I ₈₂ I ₁₃ : : : : :

7.2.3.2 Checked Access

The above example makes no check that a subscript is in the permitted range. If the user wishes to check the subscript, he may use the array "map" which is present in the store at run-time if the array has been declared in a DIMENSION statement.

The map starts at the location QYM. It contains consecutive 3-word entries stored in the order in which the arrays were declared. The meaning of each word is described in the following example which demonstrates the map produced by the statements:

SUBROUTINE	MTRXSR (R2, I, J)
DIMENSION	I1(4), R1(8, 8), I2(6, 2)
DIMENSION	R2(I, J), R3(9, 10)
COMMON	I2, R3

Example

Description of array	М	ap	Significance	Refer to
I1 (4 × 0)	QYM 0	11	Pointer to base	Note 1
	0	4	Dimension 1	
	0	0	Dimension 2 = 0	
R1(8 × 8)	0	R1	Pointer to base address	
	0	8	Dimension 1	
	/0	8	Dimension 2; with real indicator	Note 3
I2 (6 × 2) in COMMON	+0		Offset in common area	7.2.4.
£	/0	6	Dimension 1; with COMMON indicator	Note 2
	0	2	Dimension 2	
R2 (I × J) Formal parameter	1	QYP+0	Indirect pointer to actual map	Note 1
	0	0	Dummy dimension	
	/0	0	Dummy dimension, real indicator	sagat <mark>all t</mark>
R3(9 × 10)	+12		Offset in common	7.2.4
in COMMON	/0	9	area Dimension 1; with COMMON indicator	
-	/0	10	Dimension 2; with real indicator	

Notes

- 1. The content of word 1 is one of 3 types:
 - (i) If the array is in COMMON, it gives the address of the first element relative to the start of the common area. (For further details see 7.2.4).
 - (ii) If the array is a formal parameter, bit 14 is set to 1 and the address bits contain the address of a location in the QYP stack. This location points toward word 1 of the map of the actual parameter. (see 7.2.5)
 - (iii) If the array is an actual variable, bit 14 is set to 0 and the address bits point to the first word of the array.
- 2. Bit 18 of word 2 is set to 1 if and only if the array is in COMMON.
- 3. Bit 18 of word 3 is set to 1 if and only if the array contains real elements.

7.2.4 Variables in COMMON

Variables declared in a COMMON statement must be accessed by a B-lined instruction. The location QZCOM holds an address pointing to the first location of the common area.

Example

The Fortran statements

DIMENSION ARR (3, 4) COMMON X, I, ARR

may be reduced to the following code body. A map of the common area is given to aid interpretation of the coding.

8	QF QF+1	
0	QZCOM	(Y=X)
/4	0	
5	Y	
+0		Talkey or a second
4	+2	(I=2)
0	QZCOM	
/5	2	
4	К	(ARR [J, K] = Y)
1	- 1	
12	+6	(*6 because real)
14	17	
1	J	
1	J	
, 11	- 2	
1	QZCOM	- L L
5	R	
11	QF	Fig. and Salla T
8	QF+1	
i. 0 . last a c	R	
4	Y	
/5	3	
o	QZCOM	(Z=ARR[1,2])
/4	9	
5	Z	
+0		
10		

Address relative to start of common area	Variable
0;	х
2; 3; 4;	I ARR(1, 1)
5; 6; }	ARR(2,1)
25; 26; }	ARR(3, 4)

7.2.5 Parameters

No distinction is made between functions and sub-routines in the object code.

7.2.5.1 Defining sub-programs

A sub-program may be written entirely in code. If however an executable Fortran statement is included in the sub-program, then the sub-program head and any specification statements must also be written as Fortran text. (This is to ensure parameters are treated correctly in the executable statement.) The object code produced is described below.

Example

A, AP are real arrays

I is an integer P, R1, R2 are real numbers

FUNC is a Fortran function

Using the above information, the Fortran

statement

FUNCTION FUNC(I, R2, A, AP, P)

may be compiled to the following object code:

Cod	le	Significance	Refer to
[FUNC QF QYO QZCON	мſ		Variable C
FUNC	+ 0 11 QYO 8 QYO+1 + 5 & 360000 + 0	Link Get actual parameters Number of parameters Real/Integer display Space for array display	7. 2. 5. 2 7. 2. 5. 2
QYP	+ 0 + 0 + 0 + 0 + 0 + 0	Space for actual parameter pointers	Note 1 7.2.5.2

Notes

1. The sub-routine entry

11 QYO 8 QYO+1

places the addresses of the actual parameters in the locations QYP et seq. Even if an actual parameter is, in fact, a formal parameter of the calling sub-program (and the reference may involve a chain of indefinite length) this sub-routine will still place the address of the ultimate actual parameter in the appropriate QYP location.

If a formal parameter is an array the subroutine places the address of the first word of its map in the appropriate QYP location.

The last word in the QYP stack is used to hold the address where the result is to be stored, in the case of a FUNCTION sub-program.

7.2.5.2 Calling sub-programs

The name of the sub-program must appear in a GLOBAL statement at the head of the block using it.

The call is a standard entry, followed by a string of parameter words, defining the actual parameters of the call and their type, and the store for the result.

Example

If a Fortran coded subprogram with heading:

SUBROUTINE SUB (AP, P, I)

DIMENSION A(100), AP (I)

Contains the Fortran statement

R1 = FUNC (I, R2, A, AP, P)

this statement may be reduced to the following object code:

Code	Significance	Refer to
11 FUNC 8 FUNC+1	Standard entry	-
+5	Number of actual parameters	
& 360000	Real/Integer display	Note 1
&140000	Array display	Note 2
0 I	Pointer to actual variable	Note 3
0 R2	Pointer to actual variable	Note 3
0 QYM+0	Pointer to map of A	Note 3;7.2.3.2
1 QYP+0	Indirect pointer to map of AP	Note 3;7. 2. 3. 2
1 QYP+1	Indirect pointer to P	Note 3
0 R1	Pointer to store for result	

Simple variables in COMMON should not be used as express actual parameters.

Notes

- Bit 18 = 1 if parameter 1 is real, = 0 if integer or non-existent; bit 17 = 1 if parameter 2 is real, = 0 if integer or non-existent; etc.
- Bit 18 = 1 if parameter 1 is an array, = 0 if simple variable or non-existent;
 bit 17 = 1 if parameter 1 is an array, = 0 if simple variable or non-existent;
 etc.
- 3. If the actual parameter is also a formal parameter, bit 14 is set to 1 and the address bits point to the location (in the QYP stack) where the actual address may be found. Otherwise bit 14 is 0 and the address bits point to the actual parameter, or to a map of the actual parameter.

7. 3. 1 Floating Point Arithmetic

QF and QFMATH may be used as described in 903 Manual, vols. 2.2.8 and 2.2.14. However the following names must be used in code bodies for reference to QF and QFMATH:

Name used in description	Name used in code body
of subroutine	of 903 FORTRAN program.

QF	QF
LN	QFLOG
EXP	QFEXP
SQRT	QFSQRT
SIN	QFSIN
COS	QFCOS
ARCTAN	QFATAN

These names must be included in a global identifier list at the head of any block which uses them, except QF which is automatically included in any global list punched by FORTRAN.

7.3.2 Library Functions

The library functions may be called in the same way as any other sub-program. In the 16K (LP) system the labels QFLOG, QFEXP, QFATAN etc. are not available for use by CODE statements, and the Library function entries must be used.

7. 3. 3 Input and Output

The 903 FORTRAN input and output package may be used in a code body. A description of data formats is given in Chapter 6.3. The FORMAT statement must be written as Fortran text.

Example

Using the same variables as in 7.2.5.2 the Fortran statement

WRITE (2, 999) A, P, AP, I, R1

may be compiled to the following object code

Coding	Significance	Refer to
11 QYO 8 QYO+2	Entry to input/output package	
/0 + 2	Channel number	Note 1
0 Q999+1	Pointer to format code	4.0
+5 &720000 &500000 0 QYM+0 1 QYP+0 1 QYP+1 0 I 0 R1	Number of parameters Real-Integer display Array display Pointer to map of A Indirect pointer to P Indirect pointer to map of AP Pointer to I Pointer to R1	7. 2. 5. 2 7. 2. 5. 2 7. 2. 5. 2; 7. 2. 3. 2 7. 2. 5. 2 7. 2. 5. 2; 7. 2. 3. 2 7. 2. 5. 2 7. 2. 5. 2

Note 1 In the word after the subroutine entry:

- (i) The sign bit is set to one if and only if the statement is a WRITE (output) statement.
- (ii) The address part points to a location holding the integer value of the channel number.

7.4 Example

GLOBAL, MXTRCE]

FUNCTION MXTRCE (A, I BOUND)

- C FINDS SUM OVER I OF A (I, I) ** 2
- C DIMENSION STATEMENT OMMITTED AS A IS
- C NOT USED IN FORTAN CODE

CODE

0 QYP+0 (FIND BASE ADDRESS OF A)

/4 1

9 COMMON

/4 0

6 +8191

PROBLEMS NOTED WITH

DEROUP EXAMPLE 7.4

MXTRCE implies an integer X is square)

faction but a feel result

function, but a real result

is returned.

R INDICATION)

No check is made that

EBOUND is less than

the dimension of the

anouy.

ATHERbet 22/03/2012

```
(FIND BOUND)
OK
          0
             QYP+1
         14
          5
             BOUND
                      (SET UP CONTROL UNIT)
          2
             +0
             COUNT
             INCREM (SET UP INCREMENT TO)
          4
                      (ACCESS DIAGONAL)
         14
             1
            -2
         1
         5
             INCREM
                      (SUM = 0.0)
          4
             +0
          5
             SUM
          5
             SUM+1
         8
             LOOPIN
LOOPBK
             MODA
         4
             INCREM
          1
         5
             MODA
LOOPIN
        11
             QF
             QF+1
         8
                     (SUM = SUM + A[I, I] * A[I, I])
         0
             MODA
         14
        /12
             0
         1
             SUM
         5
             SUM
        +0
        10
             COUNT
             COUNT
         4
             LOOPBK
         9
                     (MXTRCE = SUM)
         0
             QYP+3
         4
             SUM
        /5
             0
         4
             SUM+1
        15
             1
```

FORTRAN

RETURN END LAST BIT OF SIR CODE SECTION

CODE (POINTER TO ARRAY ELEMENT) MODA +0 (SIZE OF ARRAY) BOUND +0 COUNT (CONTROL COUNT) +0 (INCREMENT FOR MODA) INCREM +0 (CUMULATIVE TOTAL) SUM +0 +0 LINK +0 (LINK OF MXMULT FOR ERROR) FORTRAN (H)

P 39 - S6 CODE SECTION. LEFT HOR IN BOOK.

Chapter 8: ERROR MESSAGES

8.1 Error Detected by the Translator

Errors are displayed in the form

E n+N <statement>

where E is the error number (as listed below)
n is the last statement number
and N is the number of statements since n.

6 inches of blank tape are run-out on the punch before the first error in a program. When an error is detected compilation continues in the report mode (9.2.1) until the operator restarts compiling.

Error No. Cause

- Unacceptable form to left of = sign in an arithmetic statement.
- 3 Two operators in succession in an arithmetic expression.
- 5 Parentheses do not match.
- Subscripted variable has not been declared in a DIMENSION statement, or a FUNCTION has not been declared in GLOBAL.
- 7 Unacceptable subscript form.
- An unsubscripted array name has appeared in an arithmetic statement.

DO errors:

- 9 n is omitted, or is not an acceptable statement number.
- 10 I is not an unsubscripted integer variable, or is omitted.
- 11 There is an impermissible number of mi's.
- One of the mi's is of impermissible form.
- 13 Do statement has no = sign.
- 14 DO statements have intersecting loops.
- 15 A DO loop terminates with a GOTO or IF statement.

Error No. Cause 16 There is at least one unterminated DO loop when END is reached. 18 A number found where a variable expected. 19 No variable where one expected. 20 A statement number has more than 5 digits. 21 An integer or real constant is out of range. 22 A CALL statement has an unacceptable format. 23 A FUNCTION or SUBROUTINE statement has an unacceptable format. 24 The word FORTRAN has not been preceded by a CODE statement. 25 An error in GOTO or an IF statement. 26 A mispelt or otherwise corrupt or unrecognisable statement. 27 Statement too long or too complex to compile. 28 Program too long or too complex to compile. 29 Error in FORMAT statement. 31 Error in DIMENSION statement. 32 Error in COMMON statement. 33 A variable has been declared twice in a COMMON list. 38 In a DIMENSION statement, a bound exceeds 8192. 39 A variable has been declared twice in a DIMENSION list. A sub-program has more than 18 parameters. 40 41 A continuation line has been used other than after a GLOBAL or FORMAT statement. 42 Too many sub-programs declared in a GLOBAL statement. 43 Error in a READ or WRITE statement. 44 A FUNCTION or SUBROUTINE statement has appeared in a sub-program.

Error No.	Cause
45	Error in a GLOBAL statement.
46	Too many variables have been used in a program or sub-program.
47 (i)	A sub-program does not contain a RETURN statement.
(ii)	RETURN has occurred outside a sub-program.
48	A number appears against a statement that should not be labelled.
49	Channel number in a READ or WRITE statement is not an integer.
50	<halt code=""> not preceded by newline, therefore the last statement was not processed.</halt>

8.2 Queries raised by the translator.

The translator detects certain constructions that are not in themselves FORTRAN errors, but whose effect in 900 FORTRAN is probably not that desired by the programmer. If one of these constructions is detected a query is displayed, if the compiler is in Report Mode (9.2.1).

Queries are output in parentheses. They take the form

(Q n+N)

sub-program

where Q is the query number (as listed below)
n is the last statement number
N is the number of statements since N

If no on line teleprinter is fitted, queries are output on the punch, as comments in the SIR object code. Otherwise queries are displayed.

Query No.	Cause	Action taken by translator
101	Variable name has more than 6 characters	The first 6 are taken as significant
105	CONTINUE statement is not numbered	Statement ignored
106	Statement immediately following a GOTO statement is unnumbered	Statement is compiled normally
108	A FORMAT statement is unnumbered	Statement is ignored
109	An EQUIVALENCE statement has been used	The statement is ignored
110	An executable statement has occurred before a COMMON or a DIMENSION statement	Statement is compiled normally However, if the executable statement contained a variable mentioned in the specification statement it will have been compiled wrongly.
113	More than 1 GLOBAL statement in a program or	Statement is compiled normally.

8.3 Errors detected by the assembler.

Certain errors in the FORTRAN source text will not be detected at translation, but will be detected when the object code is assembled. A version of 903 SIR within the run-time package is used to assemble the object code. The following notes interpret some SIR error messages, giving possible reasons for their output.

EU Messages (Unlocated labels)

Unlocated labels of the form Qn, where n is an integer:

The statement number n is referred to by one of the following types of statement, but n is not used as a statement number:

GOTO IF READ WRITE

(2) Unlocated labels introduced by the user in GLOBAL statements:

EU messages giving sub-program names indicate that the sub-program has not been loaded.

(3) The unlocated label is a mis-spelling of a variable name:

The variable has been mis-spelt in one of the following positions:

the right-hand side of an arithmetic statement; a WRITE list; a CODE body

(4) The unlocated label is a variable name:

The variable has not been assigned a value by program;
the variable has been mis-spelt in one of the following positions:

the left-hand side of an arithmetic statement; a READ list; a CODE body

E3 Messages (label used twice)

(1) The label (with the first 6 characters significant) has been used as the name of at least two of the following in the same sub-program:

an array
a variable
a sub-program
a library function
a label in a CODE body

(2) Labels of the form Qn, where n is an integer: the integer, n, has been used twice as a statement number.

E5 Messages (Store full)

If running the program in batch mode (9.3.1) re-run in relocatable mode (9.3.2). If in relocatable mode extra space may be gained by adding COMMON Statements to place arrays in the COMMON area.

Other error messages may be caused by mis-punched tape produced at translate time or by a mistake in a CODE body.

8.4 Errors Detected at Run-time.

Run-time errors are displayed on a newline. Continuation, if any is possible, is made by entry at 9.

Error indications take the form

En A n₁ n₂ n₃

where n is the error number as listed below

A is the address in the object program where the error was detected n₁, n₂, n₃ are integers giving further information on the particular error; the significance of these are described below - less than 3 integers may be output.

El A P₁ P₂

Number of parameters in call of sub-program is not equal to number of parameters in its definition

P1 Number of parameters in definition of sub-program

Pa Number of parameters in call

No continuation possible.

E2 A Q₁ Q₂

Type of parameters in call of sub-program is not same as type of parameters in its definition

Q1 Real/Integer display in definition of sub-program

Q2 Real/Integer display in call of sub-program

 Q_1 , Q_2 represent a bit pattern indicating which parameters are real;

bit 18 = 1 if parameter 1 is real

= 0 if parameter 1 is integer

bit 17 = 1 if parameter 2 is real

= 0 if parameter 2 is integer

No continuation is possible.

E3 A 1 S₁ S₂

so if Q2 war 65536

but 18:0 (paran 1 integr)

but 14:1 (ro is 2 real)

in that cases our pur from subgragarant
was real, should have been ming er.

Array subscript is out of range

S₁ Actual value of subscript

S₂ Maximum value allowed

On continuation S_1 is taken equal to 1 if $S_1 < 1$ or to S_2 if $S_1 > S_2$

64

(Issue 3)

E4 A 1 S₁ S₂

Computed GOTO variable out of range

S₁ Actual value of variable

S₂ Maximum value allowed

On continuation S_1 is taken equal to 1 if $S_1 < 1$ or to S_2 if $S_1 > S_2$

E6 A C

Parity error on input

C Decimal value of character read
On continuation the character is ignored.

E7 A C

Illegal character input in a number

C Decimal value of the character code
On continuation, the character is treated as a terminator.

E8 A C

First character not on input of a string

C Decimal value of character input

On continuation, the character is ignored.

E9 A

Error in the parameters supplied to a coded subprogram (e.g. magnetic tape subroutine). Otherwise a corrupt code section.

E10 A Ma

Increment in a DO statement, $M_3 \le 0$

On continuation, M3 is taken to be +1.

Ell A N

Attempt to output a non-standardised real number to channel N.

On continuation, the number is ignored

E12 0

> Compiler overwritten Operator must re-input compiler (Tape 2 on an 8K system).

E13 0

Program incorrectly compiled.

The operator must re-compile the program, taking care to perform all operations, particularly the entry at 10 to indicate that program is complete.

E14 0

Object code and systems incompatible.

A program has been translated by one issue or version of Fortran and attempted to run on an incompatible version.

E15 X A

Real (floating point) overflow.

Ignore X. A is the address in object code where the error occurred.

E16 X A

Illegal instruction interpreted by QF.

(This means that the program has been corrupted in some way). X and A have the meaning of E15.

E17 A

Overflow on conversion from real to integer value.

(Outside the range \Rightarrow 131072 to +131071)

E18 Z

Error in ALOG, EXP or SQRT.

Z = 78, Argument of ALOG(X), X < 0On continuation result = 0

Z = 81,Argument of SQRT(X), X<0 On continuation result = SQRT(ABS(X))

Z = 88, Argument of EXP(X), $X > 2^{16}$ (Also may be caused by exonentiation Y**X, see Chapter 2.5.3). On continuation, result of EXP(X) is X.

8.4.1 Number Too Large For Style of Printing

* * * * * *

A string of asterisks is output to maintain the format of results, if a number cannot be output in the format demanded: the number is ignored.

Continuation occurs automatically.

Chapter 9: OPERATION OF THE FORTRAN (BASIC SYSTEM)

9.1 General

On a basic 903 with 8192 word core store and no backing store:

Fortran programs are translated and run in two stages. In the first stage one or more programs are checked for syntactic errors and translated to SIR code on paper tape. In the second stage, the translated programs are loaded and run. The original Fortran text is referred to as "source code"; the output from the Translator is "object code".

9.1.1 Distribution

The basic 903 Fortran is distributed as a set of two tapes.

- 1) 903 FORTRAN TAPE 1 (The Translator).
- 2) 903 FORTRAN TAPE 2 (Run time routines).

9.2 Translation

The binary Translator tape (TAPE 1) is read in by Initial Instructions (entry at 8181). *

Fortran source code programs may be translated to paper tape, or checked for syntactic errors using the Report Mode (9.2.1).

- 1) To translate source code to paper tape enter at 8.
- 2) To check source code by Report Mode enter at 10.
- To continue reading subsequent tapes of the same program in either mode re-enter at 9.

If any error is detected during translation, no more object code is produced, but the rest of the program is checked, as for Report Mode. A legible X is punched on the tape at the end of every sub-program containing an error, and the program waits. Queries are ignored during normal translation.

^{*} Continuous output on the punch or automatic lighting of the paper tape "READ" lamp indicates misread or damaged tape.

When translation or checking of a program is complete, the operator should run out some blanks; and return to step (1) or (2) with another program, or proceed to run the translated program (9.3).

Complete programs are normally translated as a whole, but individual programs and sub-programs may be translated or checked independently in the same manner. This may be done where a library of pre-translated sub-programs is used, or when testing a large program (to avoid re-compiling the whole program when an error is corrected in one sub-program).

9.2.1 Report Mode

When a tape is read in Report Mode, the same syntactic checks are carried out as in Translation mode. Errors and queries (see Chapter 8) are displayed, but no object code is punched.

The use of report mode saves time whenever a program does contain an error, and it is recommended that all programs are checked in this way before the first attempt to translate them.

9.3 Loading and Running

There are two modes available for running 903 Basic Fortran programs, the Batch Mode and the Relocatable Mode.

The Batch Mode should be used for all programs containing up to about 120 statements. Larger programs must be run in Relocatable Mode.

The operator must not attempt to run any program where the object code tape ends with a legible X (see 9.2).

When loading an object code program a store map may be obtained. This lists the absolute addresses of all SIR object code identifiers. This map may be used to interpret the addresses output when run time errors are displayed. Fortran statement numbers (n) are printed in the form Qn on the store map.

9. 3. 1 Batch Mode

The binary run time package (TAPE 2) is input by initial instructions (entry at 8181). *

1) Load the first object code tape in the reader. If a store map is required go to step (3).

^{*} Continuous output on the punch or automatic lighting of the read lamp indicates mis-read or damaged tape.

- 2) Enter at 8 to load the program. Go to step (4).
- Enter at 12 to load the program and display a store map.
- 4) If the object code contains a halt code or is continued on further tapes, load the next tape and re-enter at 9.
- 5) Enter at 10 to indicate that the program is complete, including all sub-programs.
- 6) To run the program, load a data tape (if required) and enter at 11.
- 7) To continue after a PAUSE, halt code on data tape, or run time error, re-enter at 9. To re-run the program (e.g. with different data) go back to (6).
- Return to step (1) to load the next program.

 However, if the program used variables in

 COMMON the assembler may be overwritten,
 and TAPE 2 must be re-input before loading
 another program.

Note 1.

The first piece of object code loaded must be the main program of the Fortran to be run. After this the sub-programs (if any) can be loaded in any order.

Note 2.

When a Fortran program has been tested in Batch Mode, the Relocatable mode may be used to produce a binary tape for repeated runs of the tested program.

9. 3. 2 Relocatable Mode

- Load the binary run time package (TAPE 2) by initial instructions (entry at 8181) as for Batch Mode.
- 2) Load the first object code tape, run out some blanks on the punch, and enter at 13. The tape is translated to relocatable binary by a version of the SIR assembler.
- If the program is continued on further tapes, load the next tape and re-enter at 9.

- 4) Enter at 10 to indicate that the program is complete, including all sub-programs.
- Some blanks and tear off the tape. If further programs are to be run in Relocatable Mode, return to step (2).
- 6) Load the relocatable binary tape produced at step (2) and enter at 14.
- 7) Load the data tape (if any) and enter at 11 to run the program.
- 8) To continue after a wait: due to PAUSE, halt code on data tape, or run time error, re-enter at 9. To re-run the program return to step (7).

9.3.3 User's Library

When a 903 Fortran user has a library of commonly used sub-programs these may be kept as a set of pre-translated relocatable binary tapes.

Each sub-program should be translated and then converted to relocatable binary as in steps (1) to (5) of 9.3.2.

These library tapes can then be added to programs run in either Batch or Relocatable Mode:

To add a library sub-program in Batch Mode (9.3.1) after step (5) load the tape and enter at 15.

To add a library sub-program in Relocatable Mode (9.3.2) after step (6) load the tape and enter at 15.

Chapter 10: STORE USED ON THE BASIC SYSTEM

10.1 Store Use at Translation Time.

The Translator (TAPE 1) with its workspace and lists, occupies 8150 words of store.

10.2 Store Used at Run-time

The run-time routines occupy 3500 words approximately. In Batch Mode the Assembler occupies 2600 words, which may be used for the COMMON area. In relocatable Mode the Loader occupies 1100 words, which may be used for the COMMON area.

Thus on a basic 903, with 8192 words of store, the following table shows the store available for the Fortran programs:

	Batch Mode	Relocatable Mode
Object code + local variables and arrays	2000	3500
Object code + all variables and arrays including COMMON	4600	4600

The example below shows the store layout for a typical program run in Relocatable Mode.

0 to 7	Registers
8 to 3500	Entry points and run-time routines.
3500 to 6100	Object code of Fortran program.
6100 to 7300	COMMON area for Fortran program.
6120 to 7000	Dictionary list assembled when loading program (overwritten at run-time).
7000 to 8179	SIR loader (Fortran version).

Chapter 11. OPERATION OF THE FORTRAN 16K (LG) SYSTEM

11. 1 General

FORTRAN programs may be translated and run "load-and-go" using this system, which uses a 903B or 903C configuration with at least 16384 words of core store. The chief objective of this system is to provide an efficient operating system when running large numbers of small programs.

11, 1, 1 Distribution

The 903 FORTRAN compiler for this system consists of one sum-checked binary tape.

11.2 Operation of the system

- (1) The binary tape is read in by Initial Instructions (entry at 8181)*
- (2) FORTRAN source code programs may be compiled load- and- go (11.2.2) or checked for syntactic errors using the Report Mode (11.2.1)

* Continuous output on the punch or automatic lighting of the paper tape "READ" lamp indicates misread or damaged tape.

11.2.1 Report Mode

To check source code by Report Mode enter at 16. When a tape is read in Report Mode, the same syntactic checks are carried out as in the Translation Mode. Errors and queries (see Chapter 8) are displayed, but no object code is produced.

The use of Report Mode saves time whenever a program does contain a syntactic error.

- 1) To check source code by Report Mode enter at 16
- 2) To continue after halt code or after a legible X is output on the punch, enter at 9.

11, 2, 2 Load and Go Mode

The Load and Go Mode may be used for all programs containing up to about 120 statements. Larger programs must be run in Relocatable Mode on the basic system or the 16K (LP) System.

When compiling an object code program loadand-go a store map may be obtained. This lists the absolute addresses of all SIR object code identifiers. This map may be used to interpret the addresses output when run time errors are displayed. FORTRAN statement numbers (n) are printed in the form Qn on the store map. If any error is detected during translation the compiler enters Report Mode (see 11.2.1 above) automatically. A legible X is output on the punch at the end of every program unit containing an error, and the compiler waits.

- (1) Load the first source code tape in the reader (see Note 1 below)
 If a store map is required go to step (3)
- (2) Enter at 8 to compile and load the program.
 Go to step (4)
- (3) Enter at 12 to compile the program and display a store map.
- (4) If the source code contains a halt code or is continued on further tapes; load the next tape and re-enter at 9.
- (5) Enter at 10 to indicate the program is complete, including all sub-programs.
- (6) To run the program, load a data tape (if required) and enter at 11. (see Note 2 below)
- (7) To continue after a PAUSE, halt code on a data tape, or run-time error, re-enter at 9.
- (8) Return to step (1) to compile the next program (see Note 3 below)
- Note 1. The first source code tape loaded must be the main FORTRAN program. After this sub-programs (if any) can be compiled in any order.
- Note 2. The operator must not attempt to run the program if a legible X has been output during compilation.
- Note 3. If the compiler has been overwritten by running the program, an error indication is output (see 11.2.4).

11.2.3 User's Library

When a 903 FORTRAN user has a library of commonly used sub-programs these may be kept as a set of pre-translated relocatable tapes. However, these have to be translated on the basic (8K) FORTRAN system (see Chapter 9. 3. 3 for details of this).

Once translated, these library tapes can be added to programs run in 'load- and- go' mode.

To add a library sub-program, after step (5) in 11.2.2 load the library tape and enter at 15.

11.2.4 Overwriting of compiler

To allow the maximum possible size of programs, certain parts of the compiler may be overwritten when running a large program. If the operator subsequently attempts to activate a part of the compiler that has been corrupted then the message

E 12 0

is displayed.

If this message is displayed the compiler must be reloaded. It will be displayed if address a3 (see 11.3.3 below) was greater than 5400 when the previous program was loaded.

11.3 Store Used

11.3.1 During Translation

Registers
Runtime Routines*
Available for FORTRAN object code
SIR Assembler
FORTRAN Translator and its workspace

^{*} These are not actually used during the compilation process.

11.3.2 At Runtime

0 to 7 Registers
8 to 3608 Runtime Routines
3609 to 5400 (max) FORTRAN object code

COMMON area runs on from the end of object code.

11.3.3 Message Displayed

At the end of compilation, a message is displayed showing the store used by the program:

FIRST LAST COMM
al a2 a3

Programs and local variables occupy locations at to a 2 inclusive; The COMMON are follows on from locations (a2 + 1) to a3.

In the current issue of the tape a3 is printed as a four digit number.

Where a3 exceeds 9999 the initial character is a SIR internal code character with a value greater than 9, i.e. the characters:; $<=>_{10}$ represent 10,000, 11000, 12000, 13000, 14000, 15000 and 16000 respectively. An alphabetic character indicates that COMMON is too large for a 16384 word store.

11.4 SIZE of COMMON area

The total COMMON area should not normally exceed 8192 words of store, allowing I word each for integer and two words each for real values. However this limit may be exceeded if the last item in COMMON for any subprogram is an array which starts before relative location 8192, relative to the beginning of the COMMON area. For example if X, Y, K, I are simple variables and A, IA, B are arrays:

DIMENSION A(3000), IA(2000). B(2000).

COMMON X, Y, A, IA, J, K, B would be acceptable

but COMMON A, B, IA and COMMON A, IA, B, X

would not be acceptable, since the last item begins above 8192, of the COMMON area.

If the above restriction is observed, the COMMON area may extend into further store modules.

Chapter 12. OPERATION OF THE FORTRAN 16K (LP) SYSTEM.

12.1 General.

Large FORTRAN programs may be translated and run in 2 passes using this system which uses a 903 configuration with at least 16384 words of core store. The object code produced must be run using this system, as described below. The objective of this system is to run the largest possible FORTRAN programs on a 16K machine.

12.1.1 Distribution.

The 903 FORTRAN compiler for this system consists of one sum-checked binary tape.

12.2 Operation of the system.

- (1) The binary tape is read in by Initial Instructions (entry at 8181).**
- (2) FORTRAN source code programs may be compiled to paper tape (12, 2, 2) or checked for syntactic errors using the Report Mode (12, 2, 1).
- ** Continuous output on the punch or automatic lighting of the paper tape "READ" lamp indicates misread or damaged tape.

12.2.1 Report Mode.

To check source code by Report Mode enter at 16. When a tape is read in Report Mode, the same syntactic checks are carried out as in the Translation Mode. Errors and queries (see Chapter 8) are displayed, but no object code is produced.

The use of Report Mode saves time whenever a program does contain a syntactic error, and it is recommended that all programs are checked in this way before the first attempt to translate them.

- (1) To check source code by Report Mode, enter at 16.
- (2) To continue after halt code or after a legible X is output on the punch, enter at 9.

12.2.2 Translation Mode (Relocatable Mode)

All programs must be translated in relocatable mode using this system.

If an error is detected during translation the compiler enters Report Mode (see 12.2.1 above) automatically.

A legible X is output on the punch at the end of every program unit containing an error, and the compiler waits. The operator must not attempt to run such a program.

- (1) Load the first source code tape (see Note 1, below), run out some blanks on the punch, and enter at 13. The tape is compiled and translated to relocatable binary by a version of the SIR assembler.
- (2) If the program is continued on further tapes, load the next tape and re-enter at 9.
- (3) Enter at 10 to indicate the compilation is complete, (more tape will be punched).
- (4) Run out some blanks and tear off the tape. If further programs are to be translated, return to step (1).
- (5) Load the relocatable binary tape produced at step (4) and enter at 14. (see Note 1, below).
- (6) Load the data tape (if any) and enter at 11 to run the program.
- (7) To continue after a wait; due to a PAUSE, halt code on a data tape, or run-time error, re-enter at 9. To re-run the program return to step (6)
- (8) To load another object code program return to step (5). If the COMMON area of the last program occupied more than 3000 locations the compiler must first be reloaded

Note 1. The main program and subprograms may be translated independently, at different times, though in this case the complete program will occupy slightly more store. At step (5) the main program tape must be loaded first, followed by subprogram tapes at entry point 15.

12.2.3 User's Library.

When a 903 FORTRAN user has a library of commonly used sub-programs these may be kept as a set of pre-translated relocatable binary tapes.

Each sub-program should be translated to relocatable binary object code as in steps (1) to (4) of 9.2.2.

These library tapes can then be added to programs run in Relocatable Mode

after step (5) load the tape and enter at 15.

Only library tapes compiled from the source code by the 16K (LP) version of 903 FORTRAN may be used.

12.3 Store Used

12.3.1 Compile Time.

The Translator with its workspace and lists occupies 8150 words of module 1. A version of the SIR assembler, used to output the relocatable binary object code, occupies 2500 words of module 2. 2000 words of module 2 are shared between the SIR dictionary and the Translator's list of COMMON items.

12. 3. 2 Run-time.

Locations 32 to 8039 of module 1 are available for object code. 4392 words of module 2 are available as the COMMON area. The run-time routines occupy approximately 3800 words of module 2 and 140 words of module 1. The SIR loader occupies 1000 words of module 2.

Thus on a 903 with 16384 words of store, the following table shows the store available for FORTRAN programs.

Object Program 8000 words (approx.) (including local variables and arrays)

COMMON area 4192 words (starting at location 11992 (3800 + 8192))

See also Chapter 11.4 which applies to the 16K (LP) system.